

# Oncology Medication Clinical Coverage (for Ohio Only)

**Policy Number:** CSOH2026D0030.F  
**Effective Date:** June 1, 2026

[➔ Instructions for Use](#)

Table of Contents	Page
<a href="#">Application</a> .....	1
<a href="#">Coverage Rationale</a> .....	1
<a href="#">Applicable Codes</a> .....	2
<a href="#">Background</a> .....	3
<a href="#">Benefit Considerations</a> .....	4
<a href="#">References</a> .....	4
<a href="#">Policy History/Revision Information</a> .....	4
<a href="#">Instructions for Use</a> .....	4

Related Optum Clinical Guidelines
<ul style="list-style-type: none"> <li><a href="#">Chimeric Antigen Receptor T-Cell Therapy (for Ohio Only)</a></li> <li><a href="#">T-Cell Receptor T-Cell Therapy (for Ohio Only)</a></li> </ul>

## Application

This Medical Benefit Drug Policy only applies to the state of Ohio. Any requests for services that are stated as unproven or services for which there is a coverage or quantity limit will be evaluated for medical necessity using Ohio Administrative Code 5160-1-01.

## Coverage Rationale

[➔ See Benefit Considerations](#)

### Description

This policy provides parameters for coverage of injectable oncology medications (including, but not limited to, denosumab (Prolia® & Xgeva®), erythropoiesis-stimulating agents, gonadotropin releasing hormone analogs, leucovorin, levoleucovorin, rituximab, somatostatin analogs, and white blood cell colony stimulating factors), including therapeutic radiopharmaceuticals, covered under the medical benefit based upon the National Comprehensive Cancer Network (NCCN) Drugs & Biologics Compendium® (NCCN Compendium®). The Compendium lists the appropriate drugs and biologics for specific cancers using U.S. Food and Drug Administration (FDA)-approved disease indications and specific NCCN panel recommendations. Each recommendation is supported by a level of evidence category. This policy does not provide coverage criteria for Chimeric Antigen Receptor (CAR)-T Cell or Tumor-Infiltrating Lymphocyte (TIL) Cell products. Coverage determinations are based on the member's benefits and the OptumHealth Transplant Solutions criteria for covered transplants in the Clinical Guideline titled [Chimeric Antigen Receptor T-Cell \(CAR T\) Therapy](#) or [Tumor-Infiltrating Lymphocyte \(TIL\) Cell Therapy](#).

### Coverage Rationale

The [Oncology Products](#) table below lists the UnitedHealthcare preferred oncology products and respective non-preferred products. Coverage will be provided for the UnitedHealthcare preferred oncology product contingent on the coverage criteria in the [Diagnosis-Specific Criteria](#) section.

Coverage for any respective non-preferred oncology product will be provided contingent on the criteria in the [Preferred Product Criteria](#) and the [Diagnosis-Specific Criteria](#) sections.

### Preferred Product Criteria

Treatment with the respective non-preferred product specified in the [Oncology Products](#) table below is medically necessary for oncology indications when both of the following are met:

- History of intolerance or contraindication to one of UnitedHealthcare's preferred oncology products; **and**

- Physician attests that, in their clinical opinion, the same intolerance, contraindication, or adverse event would not be expected to occur with the respective non-preferred product

## Oncology Products

Below are UnitedHealthcare preferred oncology products with therapeutically equivalent and/or biosimilar\* non-preferred products as determined by the UnitedHealthcare P&T Committee:

Preferred Oncology Product	Non-Preferred Oncology Product	Indications
Leucovorin	Levoleucovorin	All oncology indications
Irinotecan	Onivyde (irinotecan liposome)	Pancreatic cancer
Tecvayli (teclistamab-cqyv)	Elrexfio (elranatamab-bcmm)	Multiple myeloma
Cyclophosphamide (J9071, J9073, J9075)	Cyclophosphamide (J9074, J9076) Frindovyx (J9072)	All oncology indications
Docetaxel (J9171)	Docivyx (J9172), Beizray (J9174)	All oncology indications
Carboplatin (J9045)	Kyxata	All oncology indications
Gemcitabine (J9201, J9196)	Avgemsi	All oncology indications

\*Biosimilar means that the biological product is FDA-approved based on data demonstrating that it is highly similar to an already FDA-approved biological product, known as a reference product, and that there are no clinically meaningful differences between the biosimilar product and the reference product.

## Diagnosis-Specific Criteria

### Injectable Oncology Medications

UnitedHealthcare recognizes indications and uses of injectable oncology medications, including therapeutic radiopharmaceuticals, in the NCCN Drugs and Biologics Compendium with Categories of Evidence and Consensus of 1, 2A, and 2B as proven and medically necessary, and Categories of Evidence and Consensus of 3 as unproven and not medically necessary. (However, refer to the [Benefit Considerations](#) section.) When there is no NCCN Drugs and Biologics Compendium with Categories of Evidence and Consensus, coverage determinations shall be based upon FDA labelling.

UnitedHealthcare will cover all chemotherapy agents for individuals under the age of 19 years for oncology indications. The majority of pediatric patients receive treatments on national pediatric protocols that are quite similar in concept to the NCCN patient care guidelines.

Refer to [Preferred Product Criteria](#) for the UnitedHealthcare preferred oncology products that have therapeutically equivalent and/or biosimilar products available.

## Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by federal, state, or contractual requirements and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies and Guidelines may apply.

HCPCS Code	Description
J0640	Injection, leucovorin calcium, 50 mg
J0641	Injection, levoleucovorin, not otherwise specified, 0.5 mg
J0642	Injection, levoleucovorin (khapzory), 0.5 mg
J1323	Injection, elranatamab-bcmm, 1 mg
J9045	Injection, carboplatin, 50 mg
J9071	Injection, cyclophosphamide, auromedic, 5 mg
J9072	Injection, cyclophosphamide, (Frindovyx), 5mg
J9073	Inj cyclophosphamide, dr reddys, 5 mg

HCPCS Code	Description
J9074	Inj, cyclophosphamide, sandoz, 5 mg
J9075	Inj, cyclophosphamide, nos, 5 mg
J9076	Inj, cyclophosphamide, baxter, 5 mg
J9171	Injection, docetaxel, 1 mg
J9172	Injection, docetaxel (Docivyx), 1 mg
J9174	Injection, docetaxel (Beizray), 1mg
J9184	Injection, gemcitabine hydrochloride (avyxa), 200 mg
J9196	Injection, gemcitabine hydrochloride (accord), 200 mg
J9201	Injection, gemcitabine hydrochloride, 200 mg
J9205	Injection, irinotecan liposome, 1 mg
J9206	Injection, irinotecan, 20 mg
J9380	Injection, teclistamab cqv, 0.5 mg

## Background

The NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines<sup>®</sup>) are comprehensive guidelines documenting management decisions and interventions that apply to 97% of cancers affecting U.S. patients.

### NCCN Categories of Evidence and Consensus

#### Category 1

The recommendation is based on high-level evidence (i.e., high-powered randomized clinical trials or meta-analyses), and the panel has reached uniform consensus that the recommendation is indicated. In this context, uniform means near unanimous positive support with some possible neutral positions.

#### Category 2A

The recommendation is based on lower level evidence, but despite the absence of higher level studies, there is uniform consensus that the recommendation is appropriate. Lower level evidence is interpreted broadly, and runs the gamut from phase II to large cohort studies to case series to individual practitioner experience. Importantly, in many instances, the retrospective studies are derived from clinical experience of treating large numbers of patients at a member institution, so panel members have first-hand knowledge of the data. Inevitably, some recommendations must address clinical situations for which limited or no data exist. In these instances the congruence of experience-based opinions provides an informed if not confirmed direction for optimizing patient care. These recommendations carry the implicit recognition that they may be superseded as higher level evidence becomes available or as outcomes-based information becomes more prevalent.

#### Category 2B

The recommendation is based on lower level evidence, and there is nonuniform consensus that the recommendation should be made. In these instances, because the evidence is not conclusive, institutions take different approaches to the management of a particular clinical scenario. This nonuniform consensus does not represent a major disagreement, rather it recognizes that given imperfect information, institutions may adopt different approaches. A Category 2B designation should signal to the user that more than one approach can be inferred from the existing data.

#### Category 3

The recommendation has engendered a major disagreement among the panel members. Several circumstances can cause major disagreements. For example, if substantial data exist about two interventions but they have never been directly compared in a randomized trial, adherents to one set of data may not accept the interpretation of the other side's results. Another situation resulting in a Category 3 designation is when experts disagree about how trial data can be generalized. A Category 3 designation alerts users to a major interpretation issue in the data and directs them to the manuscript for an explanation of the controversy.

Therapeutic radiopharmaceuticals [e.g., Azedra<sup>®</sup> (iobenguane I 131), Lutathera<sup>®</sup> (lutetium Lu 177 dotatate), Xofigo<sup>®</sup> (radium-223)] used to treat cancer are medications that contain radioactive material. The radioactive agent selectively accumulates within the tumor releasing radiation which then kills cancer cells.

## Benefit Considerations

Chimeric Antigen Receptor (CAR)-T Cell Therapy may be eligible for coverage as an autologous stem cell therapy under a member's Transplantation Services benefit. Coverage determinations are based on the OptumHealth Transplant Solutions criteria for covered transplants in the Clinical Guideline titled [Chimeric Antigen Receptor T-Cell Therapy](#).

## References

1. NCCN Drugs and Biologics Compendium (NCCN Compendium®). <https://www.nccn.org/compendia-templates/compendia/drugs-and-biologics-compendia>.
2. NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®). [https://www.nccn.org/professionals/physician\\_gls/default.aspx](https://www.nccn.org/professionals/physician_gls/default.aspx).
3. Center for Drug Evaluation and Research. Biosimilars. Retrieved from: <https://www.fda.gov/drugs/therapeutic-biologics-applications-bla/biosimilars>.

## Policy History/Revision Information

Date	Summary of Changes
06/01/2026	<p><b>Coverage Rationale</b> <b>Oncology Products</b></p> <ul style="list-style-type: none"><li>• Revised list of UnitedHealthcare preferred and non-preferred oncology products; added:<ul style="list-style-type: none"><li>○ Beizray (HCPCS code J9174) (non-preferred)</li><li>○ Carboplatin (HCPCS code J9045) (preferred)</li><li>○ Cyclophosphamide (HCPCS codes J9071, J9073, and J9075) (preferred)</li><li>○ Cyclophosphamide (HCPCS codes J9074 and J9076) (non-preferred)</li><li>○ Docetaxel (HCPCS code J9171) (preferred)</li><li>○ Docivyx (HCPCS code J9172) (non-preferred)</li><li>○ Frindovyx (HCPCS code J9072) (non-preferred)</li><li>○ Kyxata (non-preferred)</li></ul></li></ul> <p><b>Injectable Oncology Medications</b></p> <ul style="list-style-type: none"><li>• Replaced language indicating “UnitedHealthcare recognizes indications and uses of injectable oncology medications, including therapeutic radiopharmaceuticals, in the NCCN Drugs and Biologics Compendium with Categories of Evidence and Consensus of 1, 2A, and 2B as proven” with “UnitedHealthcare recognizes indications and uses of injectable oncology medications, including therapeutic radiopharmaceuticals, in the NCCN Drugs and Biologics Compendium with Categories of Evidence and Consensus of 1, 2A, and 2B as proven <i>and medically necessary</i>”</li><li>• Added language to indicate coverage determinations shall be based upon U.S. FDA labelling when there is no NCCN Drugs and Biologics Compendium with Categories of Evidence and Consensus</li></ul> <p><b>Applicable Codes</b></p> <ul style="list-style-type: none"><li>• Added HCPCS codes J9045, J9071, J9072, J9073, J9074, J9075, J9076, J9171, J9172, and J9174</li></ul> <p><b>Supporting Information</b></p> <ul style="list-style-type: none"><li>• Updated <i>References</i> section to reflect the most current information</li><li>• Archived previous policy version CSOH2026D0030.E</li></ul>

## Instructions for Use

This Medical Benefit Drug Policy provides assistance in interpreting UnitedHealthcare standard benefit plans. When deciding coverage, the federal, state (Ohio Administrative Code [OAC]), or contractual requirements for benefit plan coverage must be referenced as the terms of the federal, state (OAC), or contractual requirements for benefit plan coverage may differ from the standard benefit plan. In the event of a conflict, the federal, state (OAC), or contractual requirements for benefit plan coverage govern. Before using this policy, check the federal, state (OAC), or contractual requirements for benefit plan coverage. UnitedHealthcare reserves the right to modify its Policies and Guidelines as necessary. This Medical Benefit Drug Policy is provided for informational purposes. It does not constitute medical advice.

UnitedHealthcare may also use tools developed by third parties, such as the InterQual® criteria, to assist us in administering health benefits. The UnitedHealthcare Medical Benefit Drug Policies are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.